CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
  GGGGGG    888888      11      222222                LL
 GG        88    88    111     22    22               LL
 GG        88    88     11           222               LL
 GG  GGGG   888888      11         222                 LL
 GG    GG  88    88     11       22                    LL
 GG    GG  88    88     11      22                     LL
  GGGGGG    888888   11111111  22222222                LLLLLLLL
```

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JAIL

77/03/26. 11.02.54.

23 MAR - NOTICE OF SPRING VACATION SCHEDULE, NEW VERSION OF
BMD P-SERIES, SEE THE BULLET.

CROSSTABS

FROFF, FRCL, FRMIL, FRDMAR,
FRDNUN, SKIDS BY GENSER

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS//INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=FROFF(0,9),FRCL(0,9),FRMIL(0,9),FRDMAR(0,9),FRDNUN
               (0,9),SKIDS(0,6)/GENSER(1,7)/TABLES=FROFF,FRCL,FRMIL,FRDMAR,
               FRDNUN,SKIDS BY GENSER
STATISTICS     ALL
READ INPUT DATA
```

043100 CM NEEDED FOR CROSSTABS

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *

FROFF BY GENSER

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *

FROFF BY GENSER

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *
FRCL BY GENSER
* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* C R O S S T A B U L A T I O N O F *
FRCL BY GENSER
* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

FRMIL BY GENSER

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *
FRMIL BY GENSER
* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *
FRDMAR BY GENSER
* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *
FRDMAR BY GENSER
* PAGE 2 OF 2

	GENSER							
	COUNT / ROW PCT / COL PCT / TOT PCT	1	2	3	4	5	6	7	ROW TOTAL
FRDMAR									
9	240	127	40	14	1	3	0	425
	56.5	29.9	9.4	3.3	.2	.7	0	57.8
	63.3	55.7	45.5	53.8	11.1	75.0	0	
	32.7	17.3	5.4	1.9	.1	.4	0	
COLUMN TOTAL	379	228	88	26	9	4	1	735
	51.6	31.0	12.0	3.5	1.2	.5	.1	100.0

80% +

RAW CHI SQUARE = 127.24172 WITH 48 DEGREES OF FREEDOM. SIGNIFICANCE = .0000
CRAMER≠S V = .16986
CONTINGENCY COEFFICIENT = .38415
LAMBDA (ASYMMETRIC) = .00968 WITH FRDMAR DEPENDENT. = .03090 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .02102
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .04150 WITH FRDMAR DEPENDENT. = .04868 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .04480
KENDALL≠S TAU B = -.08022. SIGNIFICANCE = .0066
KENDALL≠S TAU C = -.05799. SIGNIFICANCE = .0066
GAMMA = -.12492
SOMERS≠S D (ASYMMETRIC) = -.07990 WITH FRDMAR DEPENDENT. = -.08054 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.08022
ETA = .08567 WITH FRDMAR DEPENDENT.
ETA = .19023 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 64

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *

FRDNUN BY GENSER

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *
FRDNUN BY GENSER
* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/26.)

* CROSSTABULATION OF *
SKIDS BY GENSER
* PAGE 1 OF 1

SKIDS	COUNT / ROW PCT / COL PCT / TOT PCT	GENSER 1	2	3	4	5	6	7	ROW TOTAL
1		35	17	11	3	0	0	0	66
		53.0	25.8	16.7	4.5	0	0	0	8.7
		8.6	7.6	12.9	12.0	0	0	0	
		4.6	2.2	1.5	.4	0	0	0	
2		43	23	10	2	0	1	0	79
		54.4	29.1	12.7	2.5	0	1.3	0	10.4
		10.5	10.3	11.8	8.0	0	25.0	0	
		5.7	3.0	1.3	.3	0	.1	0	
3		34	22	7	3	0	0	0	66
		51.5	33.3	10.6	4.5	0	0	0	8.7
		8.3	9.9	8.2	12.0	0	0	0	
		4.5	2.9	.9	.4	0	0	0	.
4		39	23	9	3	0	0	0	74
		52.7	31.1	12.2	4.1	0	0	0	9.8
		9.5	10.3	10.6	12.0	0	0	0	
		5.2	3.0	1.2	.4	0	0	0	
5		252	138	47	13	9	3	1	463
		54.4	29.8	10.2	2.8	1.9	.6	.2	61.2
		61.6	61.9	55.3	52.0	100.0	75.0	100.0	
		33.3	18.3	6.2	1.7	1.2	.4	.1	
6		6	0	1	1	0	0	0	8
		75.0	0	12.5	12.5	0	0	0	1.1
		1.5	0	1.2	4.0	0	0	0	
		.8	0	.1	.1	0	0	0	
COLUMN TOTAL		409	223	85	25	9	4	1	756
		54.1	29.5	11.2	3.3	1.2	.5	.1	100.0

RAW CHI SQUARE = 17.98040 WITH 30 DEGREES OF FREEDOM, SIGNIFICANCE = .9589
CRAMER≠S V = .06897
CONTINGENCY COEFFICIENT = .15242
LAMBDA (ASYMMETRIC) = 0 WITH SKIDS DEPENDENT. = 0 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = 0
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .01257 WITH SKIDS DEPENDENT. = .01365 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .01309
KENDALL≠S TAU B = -.01700. SIGNIFICANCE = .2981
KENDALL≠S TAU C = -.01219. SIGNIFICANCE = .2981
GAMMA = -.02837
SOMERS≠S D (ASYMMETRIC) = -.01676 WITH SKIDS DEPENDENT. = -.01725 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.01700
ETA = .09325 WITH SKIDS DEPENDENT.
ETA = .01749 WITH GENSER DEPENDENT.

DATA DOCUMENTS/INC., SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

NUMBER OF MISSING OBSERVATIONS = 43

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER